

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	38	("5633932" or "5850516" or "5850517" or "5963731" or "5968176" or "5974549" or "6009456" or "6065118" or "6141754" or "6148327" or "6173405" or "6189103" or "6192354" or "6233601" or "6272528" or "6308181" or "6539416" or "6615232" or "6622157").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 08:25
S5	22	717/120,121,176.ccls. and (morph\$4 or alter\$3 or chang\$4 or modif\$6 or edit\$3) with (jump\$3 or mobil\$3 or agent) same (host or target or client or destin\$5 or desgnat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 09:46
S6	25	717/120,121,176.ccls. and (morph\$4 or alter\$3 or chang\$4 or modif\$6 or edit\$3) with (jump\$3 or mobil\$3 or agent) same (host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 09:56
S8	55	719/316,317.ccls. and (morph\$4 or alter\$3 or chang\$4 or modif\$6 or edit\$3) with (jump\$3 or mobil\$3 or agent) same (host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:02
S10	1	719/316,317.ccls. and (morph\$4 or alter\$3 or chang\$4 or modif\$6 or edit\$3) with (behavior) with (jump\$3 or mobil\$3 or agent) same (host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:04
S11	178	(morph\$4 or alter\$3 or chang\$4 or modif\$6 or edit\$3) with (behavior) with (jump\$3 or mobil\$3 or agent) same (host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:18

EAST Search History

S13	175	(morph\$4 or alter\$3 or chang\$4 or modif\$6 or edit\$3) with (jump\$3 or mobil\$3) adj2 (code or application or agent) same (host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:11
S15	481	709/201-203.ccls. and (morph\$4 or alter\$3 or chang\$4 or modif\$6 or edit\$3) with (jump\$3 or mobil\$3 or agent) same (host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:20
S19	2	"20040172637"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:35
S20	2	"20050188377"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:36
S21	0	WO/2001/098910	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:36
S22	6	"098910"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:37
S23	1	"MOBILE SOFTWARE MORPHING AGENT"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:37

Glenn

EAST Search History

S24	19	709/201-203.ccls. and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6) with (jump\$3 or mobil\$3 or agent) with behavior same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:57
S26	382	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6) with (jump\$3 or mobil\$3 or agent) with behavior same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 11:09
S29	19073	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6) near6 (mobil\$3 or agent) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) and (data\$1base or repositor\$3 or stor\$3 or package or modules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 12:11
S30	197	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6) near6 (mobil\$3 or agent) with behavior same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) and (data\$1base or repositor\$3 or stor\$3 or package or modules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 12:11
S31	34	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6) near6 (mobil\$3 or agent) with behavior same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (data\$1base or repositor\$3 or stor\$3 or package or modules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 12:45
S33	92	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6) near6 (mobil\$3 or agent) with code same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (data\$1base or repositor\$3 or stor\$3 or package or modules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 12:57

EAST Search History

S36	1	"COMPUTER SECURITY AND MANAGEMENT SYSTEM"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 12:48
S38	353	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (mobil\$3 or agent) with (action or behavior or code) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (data\$1base or repositor\$3 or stor\$3 or package or modules or librar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 12:59
S40	12	709/201-203.ccls. and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (mobil\$3 or agent) with (action or behavior or code) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (data\$1base or repositor\$3 or stor\$3 or package or modules or librar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:19
S41	4	719/316,317.ccls. and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (mobil\$3 or agent) with (action or behavior or code) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (data\$1base or repositor\$3 or stor\$3 or package or modules or librar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:02

EAST Search History

S42	15	709/201-203.ccls. and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (mobil\$3 or agent) with (action or behavior or code) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (component or data\$1base or repositor\$3 or stor\$3 or package or modules or librar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:19
S43	430	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (mobil\$3 or agent) with (action or behavior or code) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (component or data\$1base or repositor\$3 or stor\$3 or package or modules or librar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:22
S45	105	("717"/\$.ccls. or "709"/\$.ccls. or "719"/\$.ccls.) and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (jump\$3 or mobil\$3 or agent) with (action or behavior or code) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (component or data\$1base or repositor\$3 or stor\$3 or package or modules or librar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:58
S47	13	("717"/\$.ccls. or "709"/\$.ccls. or "719"/\$.ccls.) and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (jump\$3 or mobil\$3 or agent) with (action or behavior or code) same (group\$3 or list) with(heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (component or data\$1base or repositor\$3 or stor\$3 or package or modules or librar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:58

EAST Search History

S48	22	("717"/\$.ccls. or "709"/\$.ccls. or "719"/\$.ccls.) and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (jump\$3 or mobil\$3 or agent) with (action or behavior or code) same (group\$3 or list) with(heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 13:58
S49	93	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (jump\$3 or mobil\$3 or agent) with (action or behavior or code) same (group\$3 or list) with(heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:28
S51	3	aramira.asn. and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (jump\$3 or mobil\$3 or agent) with (action or behavior or code) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:13
S55	1	"6662012".pn. and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (jump\$3 or mobil\$3 or agent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:22
S56	223	(morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (jump\$3 or mobil\$3 or agent) with (action or behavior or code) same (characteristic or capab\$5 or environment\$3 or abilit\$3) with (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:29

EAST Search History

S58	13	S1 and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) with (jump\$3 or mobil\$3 or agent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 14:47
S59	9	jumping.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 15:24

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S39	0	717/120,121,176.ccls. and (morph\$4 or alter\$5 or chang\$4 or modif\$6 or edit\$3 or adapt\$6 or switch\$3 or replac\$3 or exchang\$3) near6 (mobil\$3 or agent) with (action or behavior or code) same (heterogen\$5 or distribut\$3 or host or target or client or destin\$5 or desgnat\$4 or remot\$3) same (data\$1base or repositor\$3 or stor\$3 or package or modules or librar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 12:59